



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>5</sup> :</b> A61K 7/00, A23G 3/00, 9/02 A24D 3/14, A24B 15/40 A23L 1/226, C11B 9/00	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 93/23005</b> <b>(43) International Publication Date:</b> 25 November 1993 (25.11.93)
<b>(21) International Application Number:</b> PCT/US93/03899 <b>(22) International Filing Date:</b> 27 April 1993 (27.04.93) <b>(30) Priority data:</b> 07/885,103                      18 May 1992 (18.05.92)                      US <b>(71) Applicant:</b> THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US). <b>(72) Inventor:</b> FURMAN, Deanna, Kimberly ; 3836 Thornton Drive, Cincinnati, OH 45236 (US). <b>(74) Agents:</b> REED, T., David et al.; The Procter & Gamble Company, 5299 Spring Grove Company, Cincinnati, OH 45202 (US).		<b>(81) Designated States:</b> AU, BB, BG, BR, CA, CZ, FI, HU, JP, KP, KR, KZ, LK, MG, MN, MW, NO, NZ, PL, RO, RU, SD, SK, UA, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i>
<b>(54) Title:</b> COOLANT COMPOSITIONS  <b>(57) Abstract</b>  The present invention relates to coolant compositions comprising a ketal and a secondary coolant which may be menthol, carboxamides or mixtures thereof.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
AU	Australia	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NL	Netherlands
BE	Belgium	GN	Guinea	NO	Norway
BF	Burkina Faso	GR	Greece	NZ	New Zealand
BG	Bulgaria	HU	Hungary	PL	Poland
BJ	Benin	IE	Ireland	PT	Portugal
BR	Brazil	IT	Italy	RO	Romania
CA	Canada	JP	Japan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SK	Slovak Republic
CI	Côte d'Ivoire	LI	Liechtenstein	SN	Senegal
CM	Cameroon	LK	Sri Lanka	SU	Soviet Union
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	MC	Monaco	TG	Togo
DE	Germany	MG	Madagascar	UA	Ukraine
DK	Denmark	ML	Mali	US	United States of America
ES	Spain	MN	Mongolia	VN	Viet Nam
FI	Finland				

- 1 -  
COOLANT COMPOSITIONS

BACKGROUND

5       Compositions of various types have incorporated within them components which provide cooling sensation to mucosal membranes and/or to skin. Such compositions include toothpastes, mouthwashes, perfumes, lotions, shaving cream, post shaving preparations, shampoos, antiperspirants, deodorants, beverages, chewing gum, tobacco products,  
10 and pharmaceutical products among many others.

      It is well established that the "cooling" effect of menthol is a physiological effect due to the direct action of menthol on the nerve endings of the human body responsive for the detection of hot or cold and is not due to latent heat of evaporation. It is believed that the  
15 menthol acts as a direct stimulus on the cold receptors at the nerve endings which in turn stimulate the central nervous system.

      Although menthol is well established as a physiological coolant its use alone, in some compositions, is limited by its strong minty odor and its relative volatility.

20       Several other compounds have been reported in the technical literature as having an odor or flavor similar to menthol and from time to time have been proposed as flavorants or odorants in a variety of topical and ingestible compositions. For example, Japanese Patent Publication No. 39-19627 reports that 3-hydroxymethyl p-menthane  
25 (menthyl carbinol) has a flavor closely resembling that of 1-menthol and suggests its use as a flavorant in confectionary, chewing gum and tobacco. In Swiss Patent No. 484,032 certain saccharide esters of menthol are proposed as additive to tobacco. In French Pat. Spec. No. 1,572,332 N,N-Dimethyl 2-ethylbutanamide is reported as having a minty  
30 odor and refreshing effect, and the minty odor of N,N-diethyl 2,2-dimethylpropanamide is referred to. A similar effect is reported for N,N-diethyl 2-ethylbutanamide in Berichte 39, 1223, (1906). A minty odor has also been reported for 2,4,6-trimethylheptan-4-ol and 2,4,6-trimethyl hept-2-en-4-ol in Parfums-Cosmetiques-Savons, May  
35 1956, pp. 17-20. The cooling effect of menthol and other related terpene alcohols and their derivatives has also been studied and

-2-

reported in Koryo, 95, (1970), pp. 39-43. 2,3-p-menthane diol has also been reported as having a sharp cooling taste (Beilstein, Handbuch der Organischen Chemie, 4th Ed. (1923) Vol. 6, p. 744).

Carboxamides have also been disclosed for use in a variety of compositions. Two patents describing such materials and compositions are U.S. 4,136,163, January 23, 1979 to Watson et al. and U.S. 4,230,688, October 28, 1980 to Rowsell et al. These patents as well as those set forth above are incorporated herein in their entirety by reference.

10 Although there have been these significant efforts to provide enhanced cooling properties to a wide variety of products there is still the need to provide improved performance.

It is an object therefore of the present invention to provide improved coolant compositions.

15 It is a further object to provide improved coolant compositions comprising a ketal material and a second coolant agent.

It is a further object of the present invention to provide improved coolant compositions comprising a ketal and a carboxamide or menthol or mixtures thereof.

20 These and other objects of the present invention are described in detail below.

All measurements referred to herein are made at 25°C and all percentages are by weight unless otherwise specified.

#### SUMMARY OF THE INVENTION

25 The present invention includes coolant compositions comprising a ketal coolant and another coolant. Such coolant compositions are useful in a wide variety of compositions which affect mucosal membranes and skin.

#### DETAILED DESCRIPTION OF THE INVENTION

30 The present invention in one aspect involves a ketal cooling agent and a second cooling agent. In other aspects of the present invention this coolant composition is combined with other components which make up compositions suitable for applying or exposure to the skin and/or mucosal membranes.

35

-3-

Ketal Component:

The first component of the present invention is a ketal of the formula



in which  $R^1$  represents a  $C_2$ - $C_6$ -alkylene radical having at least 1, but not more than 3, hydroxyl group(s), preferably 1 hydroxyl group, and either  $R^2$  and  $R^3$  independently of one another represent  $C_1$ - $C_{10}$ -alkyl which is optionally substituted by 1 to 3 radicals selected from the group comprising hydroxyl, amino and halogen (such as fluorine, chlorine, bromine or iodine),  $C_5$ - $C_7$ -cycloalkyl, preferably cyclohexyl,  $C_6$ - $C_{12}$ -aryl, preferably phenyl, with the proviso that the total of the C atoms of  $R^2$  and  $R^3$  is not less than 3, or  $R^2$  and  $R^3$  together represent an alkylene radical which, together with the carbon atom which carries the radicals  $R^2$  and  $R^3$ , forms a 5-7-membered ring, it being possible for this alkylene radical, in turn, to be substituted by  $C_1$ - $C_6$ -alkyl groups.


Preferred radicals  $R^2$  and  $R^3$  comprise methyl, isopropyl and tert.-butyl.

The length of the radicals  $R^2$  and  $R^3$  influences the effect of the compounds I: shorter radicals lead to an immediate, short effect; longer radicals lead to a delayed, but prolonged effect. An important aspect for the cosmetics industry is the solubility of the compounds in water; this is the case, in particular, with short radicals  $R^2$  and  $R^3$ .

Preferred radicals  $R^1$  embrace 1,2- and 1,3-alkylene radicals which, together with the two oxygen atoms and with the carbon atom to which the two oxygen atoms are attached, form a dioxolane or dioxane ring.

-4-

Preferred compounds I in which R<sup>2</sup> and R<sup>3</sup> together represent an alkylene radical are those of the formula



in which R<sup>4</sup> to R<sup>15</sup> independently of one another denote hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl, preferably hydrogen or C<sub>1</sub>-C<sub>4</sub>-alkyl, and m and n independently of one another denote zero or 1.

15 Preferred compounds of the formula Ia are those in which the total of m + n is 1, i.e. ketals of an optionally substituted cyclohexanone.

Preferred substituents, of which there may be present, in particular, 1 to 3, are methyl, isopropyl and tert.-butyl.

20 The ketals I can be prepared by known processes. For example, ketal I will generally be prepared by acid-catalysed reaction of the ketone on which ketal I is based and not less than the equivalent amount of aliphatic C<sub>3</sub>-C<sub>6</sub>-alcohol having not less than 3 and not more than 5, preferably 3, hydroxyl groups. In general, the ketone on

25 which ketal I is based and not less than 0.5 mol equivalents, but, as a rule, a 1.2- to 4-fold, preferably 1.5- to 3-fold excess of this amount of the C<sub>3</sub>-C<sub>6</sub>-alcohol having 3 to 5 hydroxyl groups will be employed. Examples of acid catalysts which can be used are p-toluenesulphonic acid, phosphoric acid or potassium hydrogen

30 sulphate in catalytically effective amounts (for example 0.1 to 3 g of p-toluenesulphonic acid per mole of ketone). The reaction will preferably be carried out either in an organic solvent which together with water forms an azeotrope, so that the water, which is liberated during the formation of the ketal, can be eliminated by azeotropic


35 entrainment, or water-consuming coreagents such as, for example,

-5-


trialkyl ortho esters are used. Examples of preferred organic solvents comprise benzene, toluene, xylene, chloroform, methylene chloride and trichloroethylene.

The reaction can be regarded as complete when water no longer separates out or when an ester/alcohol mixture is no longer separated out. It is recommended to wash the products subsequently with dilute alkali and with water, to separate and dry the organic phase, to strip off the solvent and, if appropriate, to purify the residue, for example by distillation.


Particularly preferred ketals I are those of the formulae




(II)




(III)



(IV)



(V)



(VI)

in which  $R^1$  has the abovementioned meaning, particularly preferred substances from among the ketals II to VI being in each case the glycerol ketals.

The invention also relates to the ketals III to VI. The ketals I to be employed in the compositions according to the invention can have asymmetric C atoms; optical isomerism can therefore occur. Depending on the starting material and the preparation methods used, they can exist in the form of mixtures of the optical isomers or in the form of pure isomers. The cooling effect of the isomers may differ, so that one or the other isomer may be preferred.

-6-

The ketal component can be used in coolant compositions in any effective amount and in the end use composition in an effective amount, generally from about .0007 to about .6000, preferably from about .0100 to about 0.4500, most preferably from about .0500 to about .3000.


Secondary Coolant Compound:

The secondary coolant compound used with the ketal can be any of a wide variety of materials. The most preferred are menthol and specific carboxamides.

Menthol is a component of peppermint oil and is widely used in oral care products, foodstuffs and cosmetics.

The carboxamides found most useful are those described in U.S. Patent 4,136,163, January 23, 1979 to Wason et al., and U.S. Patent 4,230,688, October 28, 1980 to Rawsell et al. Both incorporated herein by reference in their entirety.

The carboxamides in the '163 patent are N-substituted-p-menthane-3-carboxamides. These compounds are 3-substituted-p-menthanes of the formula:



where R', when taken separately, is hydrogen or an aliphatic radical containing up to 25 carbon atoms; R'' when taken separately is hydroxy, or an aliphatic radical containing up to 25 carbon atoms, with the proviso that when R' is hydrogen R'' may also be an aryl radical of up to 10 carbon atoms and selected from the group consisting of substituted phenyl, phenalkyl or substituted phenalkyl, naphthyl and substituted naphthyl, pyridyl; and

R' and R'', when taken together with the nitrogen atom to which they are attached, represent a cyclic or heterocyclic group of up to 25 carbon atoms, e.g. piperidino, morpholino etc.

In the above definitions "aliphatic" is intended to include any straight-chained, branched-chained or cyclic radical free or aromatic unsaturation, and thus embraces alkyl, cycloalkyl, alkenyl, cyclo-




-7-

alkenyl, alkynyl, hydroxyalkyl, acyloxyalkyl, alkoxy, alkoxyalkyl, aminoalkyl, acylaminoalkyl, carboxyalkyl and similar combinations.

Typical values for R' and R" when aliphatic are methyl, ethyl, propyl, butyl, isobutyl, n-decyl, cyclopropyl, cyclohexyl, cyclopentyl, cycloheptylmethyl, 2-hydroxyethyl, 3-hydroxy-n-propyl, 6-hydroxy-n-hexyl, 2-aminoethyl, 2-acetoxyethyl, 2-ethylcarboxyethyl, 4-hydroxybut-2-ynyl, carboxymethyl etc.

When R" is aryl typical values are benzyl, naphthyl, 4-methoxyphenyl, 4-hydroxyphenyl, 4-methylphenyl, 3-hydroxy-4-methylphenyl, 4-fluorophenyl, 4-nitrophenyl, 2-hydroxynaphthyl, pyridyl, etc.

The carboxamides of the '688 patent are certain acyclic tertiary and secondary carboxamides. These have the structure



where R' and R", when taken separately, are each hydrogen, C<sub>1</sub>-C<sub>5</sub> alkyl or C<sub>1</sub>-C<sub>8</sub> hydroxyalkyl and provide a total of no more than 8 carbon atoms, with the proviso that when R' is hydrogen R" may also be alkylcarboxyalkyl of up to 6 carbon atoms;

R' and R", when taken together, represent an alkylene group of up to 6 carbon atoms, the opposite ends of which group are attached to the amide nitrogen atom thereby to form a nitrogen heterocycle, the carbon chain of which may optionally be interrupted by oxygen;

R<sub>1</sub> is hydrogen or C<sub>1</sub>-C<sub>5</sub> alkyl; and R<sub>2</sub> and R<sub>3</sub> are each C<sub>1</sub>-C<sub>5</sub> alkyl; with the provisos that (i) R<sub>1</sub>, R<sub>2</sub> and R<sub>3</sub> together provide a total of at least 5 carbon atoms, preferably from 5-10 carbon atoms; and (ii) when R<sub>1</sub> is hydrogen, R<sub>2</sub> is C<sub>2</sub>-C<sub>5</sub> alkyl and R<sub>3</sub> is C<sub>3</sub>-C<sub>5</sub> alkyl and at least one of R<sub>2</sub> and R<sub>3</sub> is branched, preferably in an alpha or beta position relative to the carbon atom marked (\*) in the formula.

The secondary coolant compounds can be used in any effective amount in the coolant compositions and in the end use compositions. Generally the level in the latter compositions is from about .0005 to about 0.7000, preferably from about .0100 to about 0.5500, more preferably from about .0500 to about 0.3500.

-8-

End Use Compositions:

The compositions in which the coolant compositions find application are many and varied. These compositions include a wide variety of compositions for consumption by or application to the human body. Broadly speaking, these compositions can be divided into comestible and topical compositions, both terms being taken in their broadest possible sense. Thus comestible is to be taken as including not only foodstuffs and beverages taken into the mouth and swallowed, but also other orally ingested compositions taken for reasons other than their nutritional value, e.g. ingestion tablets, antacid preparations, laxatives etc. Comestible compositions also include edible compositions taken by mouth, but not necessarily swallowed, e.g. chewing gum. Topical compositions include not only compositions such as perfumes, powders and other toiletries, lotions, liniments, oils and ointments applied to the external surfaces of the human body, whether for medical or other reasons, but also compositions applied to, or which, in normal usage, come in contact with internal mucous membranes of the body, such as those of the nose, mouth, or throat, whether by direct or indirect application or inhalation, and thus include nasal and throat sprays, dentifrice, mouthwash and gargle compositions. Also included within the present invention are toilet articles such as cleansing tissues and toothpicks impregnated or coated with the active cooling compound.

A further class of compositions included within the scope of this invention are tobacco and associated articles e.g. pipe and cigarette filters, especially filter tips for cigarettes.

In formulating the compositions of this invention the active cooling compounds will usually be incorporated into a carrier which may be completely inert or which may be or contain other active ingredients. A wide variety of carriers will be suitable, dependent upon the end use of the composition, such carriers including solids,

liquids, emulsions, foams and gels. Typical carriers for the active cooling compounds include aqueous or alcoholic solutions; oils and fats such as hydrocarbon oils, fatty acid esters, long chain alcohols and silicone oils; finely divided solids such as starch or talc; 5 cellulosic materials such as paper tissue; tobacco; low-boiling hydrocarbons and halohydrocarbons used as aerosol propellents; gums and natural or synthetic resins.

The following illustrate the range of compositions into which the active cooling compounds can be incorporated:

- 10 1. Edible or potable compositions including alcoholic and non-alcoholic beverages, confectionery, chewing gum; cachous; ice cream; jellies.
- 15 2. Toiletries including after shave lotions, shaving soaps, creams and foams, toilet water, deodorants and antiperspirants, "solid colognes", toilet soaps, bath oils and salts, shampoos, hair oils, talcum powders, face creams, hand creams, sunburn lotions, cleansing tissues, dentifrices, toothpicks, mouthwashes, hair tonics, eyedrops.
- 20 3. Medicaments including antiseptic ointments, liniments, lotions, decongestants, counter-irritants, cough mixtures, throat lozenges, antacid and indigestion preparations, oral analgesics.
- 25 4. Tobacco preparations including cigars, cigarettes, pipe tobacco, chewing tobacco and snuff; tobacco filters, especially filter tips for cigarettes.
5. Miscellaneous compositions such as water soluble adhesive compositions for envelopes, postage stamps, adhesive labels etc.

Particular preparations according to the invention are discussed 30 in more detail below.

#### Edible and Potable Compositions:

The edible and potable compositions of this invention will contain the active cooling compound in combination with an edible carrier and usually a flavoring or coloring agent. The particular 35 effect of the cooling compounds is to create a cool or fresh sensation

-10-

in the mouth, and in some cases even in the stomach, and therefore the compounds find particular utility in sugar-based confectionery such as chocolate, boiled sweets and candy, in ice cream and jellies and in chewing gum. The formulation of such confections will be by ordinary  
5 techniques and according to conventional recipes and as such forms no part of this invention. The active compound will be added to the composition at a convenient point and in amount sufficient to produce the desired cooling effect in the final product. As already indicated, the amount will vary depending upon the particular  
10 compound, the degree of cooling effect desired and the strength of other flavorants in the composition.

Similar considerations apply to the formulation of beverages. Generally speaking the compounds will find most utility in soft drinks e.g. fruit, lemonade, cola etc., but may also be used in alcoholic  
15 beverages.

#### Toiletries:

Because of the cooling sensation imparted to the skin, a major utility of the cooling compounds will be in a wide range of toilet preparations and toilet articles. The particular preparations  
20 discussed below are to be taken as exemplary.

A major utility will be in after shave lotions, toilet water etc., where the compounds will be used in alcoholic or aqueous alcoholic solution, such solutions usually also containing a perfume or mild antiseptic or both.

25 Another field of utility will be in soaps, shampoos, bath oils etc. where the compounds will be used in combination with an oil or fat or a natural or synthetic surfactant e.g. a fatty acid salt or a lauroylsulphate salt, the composition usually also containing an essential oil or perfume. The range of soap compositions will include  
30 soaps of all kinds e.g. toilet soaps, shaving soaps, shaving foams etc.

-11-

A further class of toilet compositions into which the compounds may be incorporated includes cosmetic creams and emollients, such creams and emollients usually comprising a base emulsion and optionally a range of ingredients such as wax, preservative, perfume, antiseptics, astringents, pigments etc. Also included within this class are lipstick compositions, such compositions usually comprising an oil and wax base into which the compounds can be incorporated along with the conventional ingredients, i.e. pigments, perfumes etc. Once again the formulation of such compositions is conventional.

Compositions for oral hygiene containing the cooling compounds include mouthwash and dentifrice compositions. The first will usually comprise an aqueous, alcoholic, or aqueous-alcoholic solution of an antiseptic often coloured or flavored for palatability in an amount of from 0.1% to 1.0% by weight.

Dentifrice compositions may be of the powder, paste or liquid type and will usually comprise a finely divided abrasive or polishing material, e.g. precipitated chalk, silica, magnesium silicate, aluminum hydroxide or other similar materials well known in the art, and a detergent or foaming agent. Optional ingredients which may also be included are flavoring agents and colorants, antiseptics, lubricants, thickeners, emulsifiers or plasticizers.

The preferred coolant blends useful in oral compositions include mixtures of one or more carboxamides with the ketal coolant. The preferred levels of coolants are from about 0.0500 to about 0.2000 for the coolants of the '688 patent, from about 0.0500 to about 0.1000 of the '163 patent coolants, and from about 0.0500 to about 0.3000 of the ketal coolant.

#### Medicaments:

Because of their cooling effect on the skin and on the mucous membranes of the mouth, throat and nose and of the gastrointestinal tract the cooling compounds may be used in a variety of oral medicines, nasal and throat sprays, and topical compositions, particularly where a counter-irritant is required. In particular the

-12-

coolants may be formulated into antacid and indigestion remedies, in particular those based on sodium bicarbonate, magnesium oxide, calcium or magnesium carbonate, aluminum or magnesium hydroxide or magnesium trisilicate.

5 The coolants may also be included in oral analgesic compositions e.g. with acetylsalicylic acid or its salts, and in nasal decongestants e.g. those containing ephedrine.

Certain compositions of this invention are illustrated by the following non-limiting examples. These examples are strictly given  
10 for illustration purposes.

#### EXAMPLES 1 AND 2

Given below are exemplary toothpaste compositions of the present invention.

		<u>Example 1</u>	<u>Example 2</u>
15	Sodium Fluoride	0.243	0.243
	Sorbitol	59.202	24.614
	Silica	20.000	23.411
	Double Reverse Osmosis Water	11.165	22.000
	Synthetic Sodium Alkyl	4.000	4.000
20	Sulfate (27.34% aqueous solution)		
	Buffers	2.040	-
	Monosodium Phosphate	0.590	-
	TiO <sub>2</sub>	0.525	0.500
	Thickness	0.775	0.800
25	Glycerin	-	9.000
	Tetrapotassium Pyrophosphate	-	6.382
	PEG-6	-	3.000
	Sodium Acid Prophosphate	-	2.100
	Tetrasodium Pyrophosphate	-	2.050
30	Dye	-	0.050
	Menthol	-	0.400*
	Coolant 1	0.300	0.300
	Coolant 2	0.200	0.200
	Coolant 3	0.090	0.090
35	Saccharin	0.460	0.460

-13-

Peppermint Oil	-	0.80
Spearmint Oil	1.000	-
Total	100.000	100.000

\*Menthol is from peppermint oil, not added as menthol.

- 5 Coolant 1 - 1-Menthon-/d-iso-menthon glycerin ketal  
Coolant 2 - n,2,3 -Trimethyl-2-Isopropylbutamide  
Coolant 3 - n-Ethyl p-Menthan-3-carboxamide

#### EXAMPLES 3 AND 4

Given below are mouthrinse examples representative of the present  
10 invention.

	<u>Example 3</u>	<u>Example 4</u>
Cetyl pyridinium chloride	0.0450	0.0450
Domiphen Bromide	0.0050	0.0050
Double Reverse Osmosis Water	72.9818	82.7846
15 Alcohol & DA40	16.2500	8.5000
Glycerin	10.000	7.5000
Poloxamer 407	0.2000	0.2000
Na Benzoate	0.0537	0.5400
Tween 80	0.0300	0.1200
20 Green Dye	0.0400	0.1200
Benzoic Acid	0.0045	0.0030
NaOH	0.0030	0.0030
1% Blue Dye	0.0030	-
1% Yellow	-	0.0009
25 Menthol	0.0700*	-
Coolant 1	0.1000	0.0350
Coolant 2	0.0670	0.0350
Coolant 3	0.0200	0.0350
Saccharin	0.0600	0.0765
30 Peppermint Oil	0.1400	-
Spearmint Oil	-	0.1200
Total	100.0000	100.0000

\*Menthol is from peppermint oil, not added as menthol.

#### EXAMPLE V

- 35 Given below is a shaving lotion representative of the present  
invention. An after shave lotion is prepared according to the

-14-

following dissolution of the ingredients in the liquid and cooling and filtering:

	Denatured Ethanol:	75%
5	Diethylphthalate:	1%
	Propylene Glycol:	1%
	Lactic Acid:	1%
	Perfume:	3%
	Water:	to 100%

10 Into the base lotion is added 0.003% by weight based on the total composition of N,2,3-trimethyl-2-isopropylbutanamide and 0.002% of 1-Menthon-/d-iso-Menthon Glycerin Ketal.

#### EXAMPLE VI

15 Given below is an antiseptic ointment representative of the present invention. An ointment is prepared according to the following formulation:

	Cetyltrimethyl ammonium bromide:	4%
	Cetyl Alcohol:	6%
	Stearyl Alcohol:	6%
20	White Paraffin:	14%
	Mineral Oil:	21%
	Water:	to 100%

25 The ingredients are mixed, warmed to 40°C, and emulsified in a high speed blender. Added to the mixture during blending was 0.03% of n-ethyl-p-menthan-3-carboxamide and 0.002% of 1-Menthon-/d-iso-Menthon Glycerin Acetal.

30


35



- 15 -

**CLAIMS :**


1. A coolant composition comprising an effective amount of a ketal of the formula




and a secondary coolant component.

2. A coolant composition according to Claim 1 wherein the secondary coolant is selected from the group consisting of menthol, carboxamides and mixtures thereof.

3. A composition according to either of Claims 1 or 2 wherein  $R^1$  denotes




4. A coolant composition according to any of Claims 1-3 wherein the ketal is



in which R<sup>4</sup> to R<sup>15</sup> independently of one another denote hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl and m and n independently of one another denote zero or 1.


- 16 -

5. A coolant composition according to any of Claims 1-4 wherein the ketal is 3,3,5-Trimethylcyclohexanone glycerol ketal.
6. A coolant composition according to Claim 2 wherein the carboxamides are selected from the group consisting of N-substituted-p-menthane-3-carboxamides of the formula:



where R', when taken separately, is hydrogen or an aliphatic radical containing up to 25 carbon atoms; R" when taken separately is hydroxy, or an aliphatic radical containing up to 25 carbon atoms, with the proviso that when R' is hydrogen R" may also be an aryl radical of up to 10 carbon atoms and selected from the group consisting of substituted phenyl, phenalkyl or substituted phenalkyl, naphthyl and substituted naphthyl, pyridyl; and R' and R", when taken together with the nitrogen atom to which they are attached, represent a cyclic or heterocyclic group of up to 25 carbon atoms;

acyclic tertiary and secondary carboxamides of the formula:



where R' and R", when taken separately, are each hydrogen, C<sub>1</sub>-C<sub>5</sub> alkyl or C<sub>1</sub>-C<sub>8</sub> hydroxyalkyl and provide a total of no more than 8 carbon atoms, with the proviso that when R' is hydrogen R" may also be alkylcarboxyalkyl of up to 6 carbon atoms; R' and R", when taken together, represent an alkylene group of up to 6 carbon atoms, the opposite ends of which group are attached to the amide nitrogen atom thereby to form a nitrogen heterocycle, the carbon chain of which may optionally be interrupted by oxygen;

- 17 -

- 5       $R_1$  is hydrogen or  $C_1-C_5$  alkyl; and  $R_2$  and  $R_3$  are each  $C_1-C_5$  alkyl; with the provisos that (i)  $R_1$ ,  $R_2$  and  $R_3$  together provide a total of at least 5 carbon atoms, preferably from 5-10 carbon atoms; and (ii) when  $R_1$  is hydrogen,  $R_2$  is  $C_2-C_5$  alkyl and  $R_3$  is  $C_2-C_5$  alkyl and at least one of  $R_2$  and  $R_3$  is branched, preferably in an alpha or beta position relative to the carbon atom marked (\*) in the formula;  
and mixtures thereof.
- 10    7. A toiletry, foodstuff, beverage or tobacco composition comprising an appropriate product base and a coolant composition according to Claim 3.
- 15    8. A composition according to any of Claims 1-7 which is a toiletry, selected from the group consisting of mouthrinses, toothpastes, aftershaves and deodorants/antiperspirants.
- 20    9. A composition according to Claim 8 which is a mouthrinse or toothpaste.
- 25    10. A composition according to Claim 9 wherein the ketal is 1-menthon-/d-iso-menthon glycerin ketal and the secondary coolant is selected from the group consisting of menthol, n,2,3 - Trimethyl-2-Isopropylbutamide and n-Ethyl p-Menthan-3-carboxamide and mixtures thereof.

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 93/03899

<b>I. CLASSIFICATION OF SUBJECT MATTER</b> (if several classification symbols apply, indicate all) <sup>6</sup>		
According to International Patent Classification (IPC) or to both National Classification and IPC		
Int.Cl. 5 A61K7/00; A24B15/40;	A23G3/00; A23L1/226;	A23G9/02; C11B9/00 A24D3/14
<b>II. FIELDS SEARCHED</b>		
Minimum Documentation Searched <sup>7</sup>		
Classification System	Classification Symbols	
Int.Cl. 5	A61K	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched <sup>8</sup>		
<b>III. DOCUMENTS CONSIDERED TO BE RELEVANT<sup>9</sup></b>		
Category <sup>10</sup>	Citation of Document, <sup>11</sup> with indication, where appropriate, of the relevant passages <sup>12</sup>	Relevant to Claim No. <sup>13</sup>
P,A	EP,A,0 507 190 (HAARMANN & REIMER GMBH) 7 October 1992 see the whole document ---	1-10
X	EP,A,0 485 170 (WM. WRIGLEY JR. COMPANY) 13 May 1992 see the whole document ---	1,3,4, 7-9
Y	---	2,6,10
X	FR,A,2 186 220 (LEWIS JOHN AUGUSTUS) 11 January 1974 see the whole document ---	1-3,7,8
Y	FR,A,1 224 132 (OREC) 22 June 1960 see the whole document ---	2,6,10
	--- -/--	
<sup>10</sup> Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family		
<b>IV. CERTIFICATION</b>		
Date of the Actual Completion of the International Search 03 AUGUST 1993		Date of Mailing of this International Search Report 17. 08. 93
International Searching Authority EUROPEAN PATENT OFFICE		Signature of Authorized Officer GAC G.

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category <sup>a</sup>	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
Y	LU,A,67 436 (WILKINSON SWORD LIMITED) 5 July 1973 cited in the application see the whole document & US,A,4 230 688 ---	2,6,10
A	US,A,4 230 688 (WILKINSON SWORD LIMITED) 28 October 1980 cited in the application see the whole document ---	1,6-10
A	US,A,4 226 988 (WILKINSON SWORD LIMITED) 7 October 1980 cited in the application see the whole document & US,A,4 193 936 -----	1,2,6-10

**ANNEX TO THE INTERNATIONAL SEARCH REPORT  
ON INTERNATIONAL PATENT APPLICATION NO.**

US 9303899  
SA 73752

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information. 03/08/93

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
EP-A-0507190	07-10-92	DE-A-	4110973	08-10-92
		AU-A-	1390992	08-10-92
		JP-A-	5125073	21-05-93
-----				
EP-A-0485170	13-05-92	AU-B-	636516	29-04-93
		AU-A-	8702091	14-05-92
		CA-A-	2054967	07-05-92
-----				
FR-A-2186220	11-01-74	None		
-----				
FR-A-1224132		CH-A-	372134	
		DE-B-	1082370	
		GB-A-	850436	
-----				
LU-A-67436	05-07-73	GB-A-	1421743	21-01-76
		GB-A-	1411786	29-10-75
		AT-B-	330963	26-07-76
		AU-B-	468442	15-01-76
		AU-A-	5442973	17-10-74
		BE-A-	798312	17-10-73
		CA-A-	984745	02-03-76
		CH-A-	564914	15-08-75
		DE-A, C	2317538	31-10-73
		DE-A, C	2366423	23-09-82
		FR-A, B	2180942	30-11-73
		JP-C-	1259130	12-04-85
		JP-A-	49019043	20-02-74
		JP-B-	59035940	31-08-84
		NL-A-	7305509	22-10-73
		SE-B-	418453	09-06-81
		US-A-	4230688	28-10-80
		US-A-	4296255	20-10-81
		US-A-	4153679	08-05-79
		CA-A-	985168	09-03-76
		DE-A, C	2317539	31-10-73
		FR-A, B	2180943	30-11-73
		JP-C-	1236697	31-10-84
		JP-A-	49019044	20-02-74
		JP-B-	59007744	20-02-84
		NL-A-	7305508	22-10-73

**ANNEX TO THE INTERNATIONAL SEARCH REPORT  
ON INTERNATIONAL PATENT APPLICATION NO.**

US 9303899  
SA 73752

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

03/08/93

Page 2

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-4230688	28-10-80	GB-A- 1421743	21-01-76
		AT-B- 330963	26-07-76
		AU-B- 468442	15-01-76
		AU-A- 5442973	17-10-74
		BE-A- 798312	17-10-73
		CA-A- 984745	02-03-76
		CH-A- 564914	15-08-75
		DE-A, C 2317538	31-10-73
		DE-A, C 2366423	23-09-82
		FR-A, B 2180942	30-11-73
		JP-C- 1259130	12-04-85
		JP-A- 49019043	20-02-74
		JP-B- 59035940	31-08-84
		LU-A- 67436	05-07-73
		NL-A- 7305509	22-10-73
		SE-B- 418453	09-06-81
		US-A- 4296255	20-10-81
		US-A- 4153679	08-05-79
US-A-4226988	07-10-80	AT-B- 330361	25-06-76
		AU-B- 456393	29-11-74
		AU-A- 3860772	09-08-73
		BE-A- 778953	04-08-72
		CA-A- 969181	10-06-75
		CH-A- 556822	13-12-74
		CH-A- 548742	15-05-74
		DE-A, B, C 2205255	30-11-72
		FR-A, B 2127013	13-10-72
		GB-A- 1351761	01-05-74
		LU-A- 64729	04-07-72
		NL-A- 7201523	08-08-72
		SE-B- 397189	24-10-77
		US-A- 4193936	18-03-80
		US-A- 4178459	11-12-79
		US-A- 4136163	23-01-79
		US-A- 4150052	17-04-79
		US-A- 4190643	26-02-80
		AT-B- 335069	25-02-77
		AU-B- 457073	23-12-74
		AU-A- 3860572	09-08-73

**ANNEX TO THE INTERNATIONAL SEARCH REPORT  
ON INTERNATIONAL PATENT APPLICATION NO.**

US 9303899  
SA 73752

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

03/08/93

Page 3

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-4226988		AU-B- 450078	07-06-74
		AU-A- 3860672	09-08-73
		BE-A- 778950	04-08-72
		BE-A- 778951	04-08-72
		CA-A- 968141	27-05-75
		CA-A- 1019551	25-10-77
		CH-A- 549952	14-06-74
		CH-A- 554648	15-10-74
		DE-A, B, C 2202535	17-08-72
		DE-A- 2203947	17-08-72
		FR-A, B 2127010	13-10-72
		FR-A, B 2127011	13-10-72
		GB-A- 1353381	15-05-74
		LU-A- 64713	30-06-72
		NL-A- 7201522	08-08-72
		NL-A- 7201524	08-08-72
		SE-B- 402404	03-07-78
-----			